

HydraStix 95 Broadloom Adhesive Revision Number 2

Revision Date: 02-Oct-2019 Supersedes Date: 19-Jul-2019

\_\_\_\_\_

## 1. Identification

### 1.1. Product Identifier

Product Name HydraStix 95 Broadloom Adhesive

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

### **Responsible Party**

Bostik Inc. 198 Nexus Drive Dalton, GA 30721 USA

Phone: +1 (800) 367-4583 (Domestic Toll Free)

Phone: +1 (706) 272-5800

E-mail msds@bostik.com

### 1.4. Emergency telephone number

\_\_\_\_\_

Telephone: Technical Rapid Response 1-706-508-5907

Chemtrec: 1-800-424-9300

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

## 2.2. Label Elements

### **EMERGENCY OVERVIEW**

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Liquid Odor Characteristic

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

Not applicable

**Precautionary Statements - Disposal** 

Revision Date: 02-Oct-2019

HydraStix 95 Broadloom Adhesive

Revision Number 2 Supersedes Date: 19-Jul-2019

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
Feldspar	68476-25-5	10 - 30
Kaolin	1332-58-7	10 - 30
Quartz	14808-60-7	1 - 5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. If eye irritation persists: Get medical advice/attention.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

**Ingestion** Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

**Self-protection of the first aider** Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

## 5.1. Extinguishing media

**HydraStix 95 Broadloom Adhesive** 

Revision Number 2 Supersedes Date: 19-Jul-2019

Revision Date: 02-Oct-2019

## Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

None known.

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

**Explosion Data** 

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

### 5.3. Advice for firefighters

## Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological

Information.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly. Soak up with inert

absorbent material.

### 6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash hands

thoroughly after handling. Do not reuse container.

## 7.2. Conditions for safe storage, including any incompatibilities

HydraStix 95 Broadloom Adhesive

Revision Number 2 Supersedes Date: 19-Jul-2019

**Storage Conditions** Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible materials**No information available.

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

**Exposure Guidelines** 

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Revision Date: 02-Oct-2019

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Feldspar 68476-25-5	2 mg/m³ (Respirable fraction)	-	-	-
Kaolin 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 2 mg/m³
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust	TWA: 50 μg/m³ TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays: (250)/(%SiO2 + 5) mppcf TWA respirable fraction: (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.025 mg/m <sup>3</sup>

Chemical name	Argentina	Brazil	Chile	Venezuela
Kaolin	TWA: 2 mg/m <sup>3</sup>	-	TWA: 13 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
1332-58-7	_		TWA: 4.5 mg/m <sup>3</sup>	
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>

## 8.2. Exposure controls

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

**Eye/face protection** Wear safety glasses with side shields (or goggles). Avoid contact with eyes.

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

HydraStix 95 Broadloom Adhesive Revision Number 2

Supersedes Date: 19-Jul-2019

depend on the material, but also on further marks of quality and various manufacturers.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Revision Date: 02-Oct-2019

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Take off all contaminated clothing and wash it before reuse. Regular cleaning of equipment, work area

and clothing is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid Paste **Appearance** Color Beige

Odor Characteristic

**Odor threshold** No information available

Values Remarks • Method **Property** 

8.0 Hq

Melting point / freezing point No data available Boiling point / boiling range 100 °C / 212 °F > 100 °C / > 212 °F Flash point No information available **Evaporation rate** Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

Lower flammability or explosive No information available

limits

Vapor pressure No information available Vapor density No information available Relative density No information available Insoluble

Water solubility

Solubility in Other Solvents

Partition coefficient No information available No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available

**Dynamic viscosity** No information available

**Explosive properties** No information available **Oxidizing properties** No information available

9.2. Other information

Softening Point No information available Molecular weight No information available Solvent content (%) No information available Solid content (%) No information available

**Density** 1.150 g/cm<sup>3</sup>

**VOC Content (%)** No information available

## Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

HydraStix 95 Broadloom Adhesive Revision Number 2

svision Number 2 Supersedes Date: 19-Jul-2019

Revision Date: 02-Oct-2019

None under normal use conditions.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

## Section 11: TOXICOLOGY INFORMATION

## 11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7			

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. **Symptoms** No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. No information available. Irritation Corrosivity No information available. Sensitization No information available. Germ cell mutagenicity No information available. No information available. Reproductive toxicity **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure No information available. No information available.

STOT - single exposure
STOT - repeated exposure
Chronic Toxicity
Target organ effects
Aspiration hazard
No information available.
No information available.
No information available.
No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

# HydraStix 95 Broadloom Adhesive Revision Number 2

\_\_\_\_\_

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Revision Date: 02-Oct-2019

Supersedes Date: 19-Jul-2019

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Kaolin	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l	-	EC 50 (48h) > 1000 mg/l
1332-58-7				(Daphnia magna)

### 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

### Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

**Disposal of Wastes** It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

## Section 14: TRANSPORT INFORMATION

**DOT** Not regulated

Revision Date: 02-Oct-2019

HydraStix 95 Broadloom Adhesive

Revision Number 2 Supersedes Date: 19-Jul-2019

IATA Not regulated

**IMDG** Not regulated

## Section 15: REGULATORY INFORMATION

#### **Global Inventories**

TSCA	Listed
DSL	Listed

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

**Listed** - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

## **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
Feldspar	68476-25-5

#### SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

## Europe

### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

## **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

## Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

## Key Literature References and Sources for Data

No information available

Revision date 02-Oct-2019

**Revision note** SDS sections updated, 2, 3, 11.

Training Advice No information available

Further information No information available

HydraStix 95 Broadloom Adhesive **Revision Number** 2

Supersedes Date: 19-Jul-2019

Revision Date: 02-Oct-2019

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**