

In accordance with OSHA 29 CFR 1910.1200

XL BRANDS RAMPSTAR TM Revision Number 1

Revision date 20-Aug-2021 Supersedes Date: Not applicable

## 1. Identification

### 1.1. Product identifier

Product Name XL BRANDS RAMPSTAR TM

Other means of identification

Other information Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use No information available Restrictions on use No information available

#### 1.3. Details of the supplier of the safety data sheet

### **Responsible Party**

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone Chemtrec (Transport/Environmental): 1-800-424-9300

1-703-527-3887 (Outside U.S.)

Rocky Mountain Poison Center: 1-866-767-5089

# 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

### Hazards not otherwise classified (HNOC)

Not applicable

### 2.2. Label elements

### **EMERGENCY OVERVIEW**

### Danger

#### Hazard statements

Causes serious eye damage May cause an allergic skin reaction

May cause cancer

Causes damage to organs through prolonged or repeated exposure

US - EN Page 1/11

Revision date 20-Aug-2021

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021



Appearance Powder Physical state Solid Odor No information available

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/ container to an approved waste disposal plant

0 % of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling in wet cement even when wearing trousers. Frequent inhalation of large quantities of cement dust over a long period of time increases the risk of developing lung disease. Product dust may be irritating to eyes, skin and respiratory system. Repeated exposure may cause skin dryness or cracking.

## 3. Composition/information on ingredients

#### 3.1. Substances

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%
Quartz	14808-60-7	30 - 60
Cement, alumina, chemicals	65997-16-2	10 - 30
Slags, ferrous metal, blast furnace	65996-69-2	7 - <13
Calcium sulfate	7778-18-9	3 - <7
Cement, portland, chemicals	65997-15-1	3 - <7
Calcium sulfate dihydrate	10101-41-4	1 - <5

US - EN Page 2/11

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

\*The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. First-aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Do not rub affected area. Get medical attention if

Revision date 20-Aug-2021

irritation develops and persists.

**Skin contact**Brush off loose particles from skin. Wash off immediately with soap and plenty of water for

at least 15 minutes. May cause sensitization by skin contact. In the case of skin irritation or

allergic reactions see a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. If swallowed, call a poison control center or

physician immediately.

Self-protection of the first aider Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives. Prolonged contact may cause redness and

irritation. Causes serious eye damage. Irritating to skin. Inhalation of dust in high

concentration may cause irritation of respiratory system. When cement reacts with water a strong alkaline solution is produced. Prolonged contact with wet cement or wet concrete may cause serious burns because they develop without pain being felt e.g. when kneeling

in wet cement even when wearing trousers.

4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** May cause sensitization in susceptible persons. May cause sensitization by skin contact.

Treat symptomatically.

# 5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media**Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

Product is or contains a sensitizer. May cause sensitization by skin contact.

chemical

Hazardous combustion products Sulfur oxides. Silicon dioxide.

**Explosion data** 

Sensitivity to mechanical impact None.

US - EN Page 3/11

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

Revision date 20-Aug-2021

(approved or equivalent) and full protective gear.

## 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid generation of dust. Do not get in

eyes, on skin, or on clothing. Wash thoroughly after handling.

**Other information** Refer to protective measures listed in Sections 7 and 8.

For emergency responders Sweep up to prevent slipping hazard.

6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system. See Section 12 for additional

Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

**Methods for containment**Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

Prevent dust cloud.

Methods for cleaning up

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Clean contaminated

surface thoroughly.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## 7. Handling and storage

## 7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid generation of dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep the packing dry

and well sealed to prevent contamination and absorption of humidity. Protect from moisture.

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

Section 13: DISPOSAL CONSIDERATIONS

US - EN Page 4/11

Revision date 20-Aug-2021

 ${\tt XL} \; {\tt BRANDS} \; {\tt RAMPSTAR} \; {\tt TM}$ 

Revision Number 1 Supersedes Date: 20-Aug-2021

# 8. Exposure controls/personal protection

# 8.1. Control parameters

## **Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 µg/m³	IDLH: 50 mg/m <sup>3</sup> respirable
14808-60-7	particulate matter	TWA: 50 µg/m³ excludes	dust
		construction work, agricultural	TWA: 0.05 mg/m <sup>3</sup> respirable
		operations, and exposures that	dust
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 0.1 mg/m <sup>3</sup>	
		respirable dust	
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Cement, alumina, chemicals	10 mg/m³(total; 5 mg/m³(resp)	-	-
65997-16-2			
Slags, ferrous metal, blast	2 mg/m³((total)calcium oxide)	-	-
furnace			
65996-69-2	T)4/4 40 / 0 : 1 1 1 1	T14/A 45 / 0 / 1 / 1	T14/A 40 / 0 / 1 / 1 / 1
Calcium sulfate	TWA: 10 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
7778-18-9	particulate matter		TWA: 5 mg/m <sup>3</sup> respirable dust
		fraction	
		(vacated) TWA: 15 mg/m <sup>3</sup>	
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	
Cement, portland, chemicals	TWA: 1 mg/m³ particulate	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
65997-15-1	matter containing no asbestos	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable	TWA: 10 mg/m³ total dust
03997-13-1	and <1% crystalline silica,		TWA: 10 mg/m³ total dust
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	1 WA. 5 mg/m respirable dust
	respirable particulate matter	dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
		TWA: 50 mppcf <1% Crystalline	
		silica	
Calcium sulfate dihydrate	TWA: 10 mg/m³ inhalable	-	-
10101-41-4	particulate matter		

Chemical name	Argentina	Brazil	Chile	Colombia
Quartz 14808-60-7	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025mg/m <sup>3</sup>
Calcium sulfate 7778-18-9	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10mg/m <sup>3</sup>
Cement, portland, chemicals 65997-15-1	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 8.8 mg/m <sup>3</sup>	TWA: 1mg/m³
Calcium sulfate dihydrate 10101-41-4	-	TWA: 10 mg/m <sup>3</sup>	-	TWA: 10mg/m <sup>3</sup>

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Quartz	TWA: 0.025mg/m <sup>3</sup>	TWA: 0.05mg/m <sup>3</sup>	0.025 mg/m <sup>3</sup> TWA	TWA: 0.025 mg/m <sup>3</sup>

US - EN Page 5/11

Revision date 20-Aug-2021

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
14808-60-7			(respirable particulate matter)	
Calcium sulfate 7778-18-9	TWA: 10mg/m <sup>3</sup>	TWA: 10mg/m <sup>3</sup>	10 mg/m³ TWA (inhalable particulate matter)	TWA: 10 mg/m <sup>3</sup>
Cement, portland, chemicals 65997-15-1	TWA: 1mg/m³	TWA: 10mg/m <sup>3</sup>	1 mg/m³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	TWA: 10 mg/m <sup>3</sup>
Calcium sulfate dihydrate 10101-41-4	TWA: 10mg/m <sup>3</sup>	-	10 mg/m³ TWA (inhalable particulate matter, listed under Calcium sulfate)	-

### 8.2. Exposure controls

#### **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/face protection**Tight sealing safety goggles. Avoid contact with eyes. If splashes are likely to occur:. Face

protection shield.

**Hand protection** Wear suitable gloves. Impervious gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Do not breathe dust. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and

clothing is recommended.

# 9. Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorGray

US - EN Page 6/11

Revision date 20-Aug-2021

**XL BRANDS RAMPSTAR TM** 

**Revision Number** 1 Supersedes Date: 20-Aug-2021

Odor No information available

Remarks • Method Property Values

No information available

pН

pH (as aqueous solution) No data available None known

Melting point / freezing point Not applicable . Not applicable . Initial boiling point and boiling

range

**Odor threshold** 

Not applicable . Flash point Not applicable . **Evaporation rate** 

No data available **Flammability** None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known

Cement based products react and Water solubility

solidify in contact with water

No data available Solubility(ies) None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known

Kinematic viscosity No data available **Dynamic viscosity** No data available

9.2. Other information

**Explosive properties** No information available **Oxidizing properties** No information available Solvent content (%) No information available

Solid content (%) 100 **Softening Point** Not relevant

No information available Molecular weight

**VOC Content (%)** 0 %

**Density** 0.760 g/cm3

No information available **Bulk density** 

# 10. Stability and reactivity

10.1. Reactivity

Product cures with moisture. Reactivity

10.2. Chemical stability

Chemical stability Keep away from Incompatible materials. Stable under recommended storage conditions.

No information available

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

10.4. Conditions to avoid

Dust formation. Product cures with moisture. Protect from moisture. Conditions to avoid

10.5. Incompatible materials

US - EN Page 7/11

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents. Acids. Aluminum.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied

# 11. Toxicological information

### 11.1. Information on toxicological effects

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available. Inhalation of dust in high

concentration may cause irritation of respiratory system.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye

damage. May cause irreversible damage to eyes.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged skin

contact may cause allergic reactions with susceptible persons. May cause sensitization by

Revision date 20-Aug-2021

skin contact.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Redness. Burning. May cause blindness. Itching. Rashes. Hives. Prolonged contact may

cause redness and irritation.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 41,433.50 mg/kg ATEmix (inhalation-dust/mist) 43.40 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>20000 mg/kg	-	-
Cement, alumina, chemicals 65997-16-2	LD50 >2000 mg/Kg Rat	LD50 >2000 mg/Kg Rat	-
Slags, ferrous metal, blast furnace 65996-69-2	LD50 >2000 mg/Kg	>4000 mg/Kg (Rattus) (OECD 402)	>5235 mg/m³ Dust (OECD 403)
Calcium sulfate 7778-18-9	>3000 mg/kg (Rattus)	-	CL50 >2.61 mg/L (4h) Rat
Cement, portland, chemicals 65997-15-1	LD50 >2000 mg/Kg (Rattus)	LD50 >2000 mg/Kg	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

US - EN Page 8/11

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

Revision date 20-Aug-2021

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		-		

Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Quartz (14808-60-7)

Method	Species	Results	
IARC (International Agency for Research on	Human evidence	Carcinogenic	
Cancer)			

**Reproductive toxicity**Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Causes damage to organs through prolonged or repeated exposure.

Target organ effects Respiratory system, Eyes, Skin, Lungs.

**Aspiration hazard** Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

# 12. Ecological information

## 12.1. Toxicity

#### **Ecotoxicity**

Chemical name Algae/aquatic plants Fish Toxicity to Crustacea		Algae/aquatic plants	⊢ich .	Toxicity to	Crustacea
---	--	----------------------	--------	-------------	-----------

US - EN Page 9/11

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

\_\_\_\_\_

Revision date 20-Aug-2021

			microorganisms	
Cement, alumina,	EC50 (72h)Algae	LC50 (96h)	-	EC50 (48h) Daphnia
chemicals	(Pseudokirchneriella	(Onchorhyncus mykiss)		magna =6.6mg/L (OECD
65997-16-2	subcapitata) >5.6mg/L	>100 mg/L (OECD 203)		202)
Calcium sulfate	CL50 (72h) >100 mg/L	LC50: =2980mg/L (96h,	-	CE50 (48h) >100 mg/L
7778-18-9	Algae	Lepomis macrochirus)		(Daphnia magna)
	-	LC50: >1970mg/L (96h,		-
		Pimephales promelas)		

### 12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

12.4. Mobility in soil

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# 13. Disposal considerations

#### 13.1. Waste treatment methods

Waste from residues/unused products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

# 14. Transport information

DOTNot regulatedIATANot regulated

<u>IMDG</u> Not regulated

# 15. Regulatory information

### **International Inventories**

TSCA	Listed
DSL	Not Listed

Legend:

US - EN Page 10/11

Revision date 20-Aug-2021

**XL BRANDS RAMPSTAR TM** 

Revision Number 1 Supersedes Date: 20-Aug-2021

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### Europe

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

## **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## 16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

Prepared By Product Safety & Regulatory Affairs.

Revision date 20-Aug-2021

Revision note No information available.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

US - EN Page 11 / 11