

Stix 1100 Revision Number 2 Revision date 02-Oct-2019 Supersedes Date: 18-Jul-2019

1. Identification

1.1. Product Identifier

Product Name Stix 1100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton, GA 30721 USA

Phone: +1 (800) 367-4583 (Domestic Toll Free)

Phone: +1 (706) 272-5800 (Local)

Fax: +1 (706) 272-5801

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: Chemtrec:800-424-9300

Rapid Technical Response: 706-508-5907 Mon-Fri, 8am-5pm est

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Liquid Odor Characteristic

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Stix 1100 Revision date 02-Oct-2019
Revision Number 2 Supersedes Date: 18-Jul-2019

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Feldspar	68476-25-5	10 - 30
Kaolin	1332-58-7	10 - 30
Quartz	14808-60-7	1 - 5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. If eye irritation persists: Get medical advice/attention.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local

Stix 1100Revision date02-Oct-2019Revision Number2Supersedes Date:18-Jul-2019

circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk.

Methods for cleaning up

Use personal protective equipment as required. Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly. Dam up. Cover

liquid spill with sand, earth or other non-combustible absorbent material.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash hands

thoroughly after handling. Do not reuse container.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

Stix 1100

Revision date 02-Oct-2019 Supersedes Date: 18-Jul-2019 **Revision Number** 2

Incompatible materials No information available.

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Feldspar 68476-25-5	2 mg/m³ (Respirable fraction)	-	-	-
Kaolin 1332-58-7	TWA: 2 mg/m³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction	TWA: 2 mg/m³
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable particulate matter	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust	TWA: 50 μg/m³ TWA: 50 μg/m³ excludes construction work, agricultural operations, and exposures that result from the processing of sorptive clays: (250)/(%SiO2 + 5) mppcf TWA respirable fraction: (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction	TWA: 0.025 mg/m ³

Chemical name	Argentina	Brazil	Chile	Venezuela
Kaolin 1332-58-7	TWA: 2 mg/m ³	-	TWA: 13 mg/m³ TWA: 4.5 mg/m³	TWA: 2 mg/m ³
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

8.2. Exposure controls

Engineering controls Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye/face protection

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers. Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be

Stix 1100Revision date02-Oct-2019Revision Number2Supersedes Date:18-Jul-2019

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as re

Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid Appearance Paste

Color White or light brown Odor Characteristic

Odor threshold No information available

 Property
 Values
 Remarks • Method

 pH
 7.5 - 8.5

pH
7.5 - 8.5

Melting point / freezing point

Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

7.5 - 8.5

No data available

100 °C / 212 °F

No information available

No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosity No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening Point
Molecular weight
Solvent content (%)
No information available
No information available
No information available
No information available

Density 1.125 g/cm³

VOC Content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

Stix 1100 Revision date 02-Oct-2019
Revision Number 2 Supersedes Date: 18-Jul-2019

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			-
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7	,		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available. Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available. No information available. Irritation No information available. Corrosivity Sensitization No information available. Germ cell mutagenicity No information available. Reproductive toxicity No information available. No information available. **Developmental toxicity Teratogenicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. Target organ effects No information available. **Aspiration hazard** No information available.

CarcinogenicityThe table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be

available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA

Stix 1100Revision date02-Oct-2019Revision Number2Supersedes Date:18-Jul-2019

Quartz	A2	Group 1	Known	X
14808-60-7		•		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l		EC 50 (48h) > 1000 mg/l (Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOT Not regulated

IATA Not regulated

IMDG Not regulated

Stix 1100 Revision Number 2

Supersedes Date: 18-Jul-2019

Revision date 02-Oct-2019

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
Feldspar	68476-25-5

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Revision date 02-Oct-2019

Revision note SDS sections updated, 2, 3, 11.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation,

Stix 1100 Revision Number 2

ision Number 2 Supersedes Date: 29-Aug-2018

Revision date 02-Oct-2019

disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet