

STIX 4300 Revision Number 1 Revision date 09-Dec-2019 Supersedes Date: 09-Dec-2019

-

1. Identification

1.1. Product Identifier

Product Name STIX 4300

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton GA 30721 USA

Phone: +1 (800) 367-4583 (Domestic Toll Free)

1.4. Emergency telephone number

Telephone: Technical Rapid Response 1-706-508-5907 Mon-Fri 8:00am - 5:00pm est

Chemtrec: 1-800-424-9300

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Liquid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

STIX 4300Revision date09-Dec-2019Revision Number1Supersedes Date:09-Dec-2019

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	15 - 40
Limestone	1317-65-3	7 - 13
Tetrapotassium pyrophosphate	7320-34-5	1 - 5
Quartz	14808-60-7	0.1 - 1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Ingestion Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show

this container or label.

Self-protection of the first aiderUse personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

Revision date 09-Dec-2019 **Revision Number** 1 Supersedes Date: 09-Dec-2019

5.1. Extinguishing media

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

STIX 4300

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Avoid contact with eyes and skin.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Section 7: HANDLING AND STORAGE Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use personal protective equipment as required. Handle in accordance with good industrial Advice on safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing.

STIX 4300 Revision Number 1

 Revision date
 09-Dec-2019

 umber 1
 Supersedes Date:
 09-Dec-2019

Wash thoroughly after handling. Do not reuse container.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

Incompatible materialsNo information available.

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure GuidelinesThis product contains substances which in their raw state are powder form, however in this

product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Kaolin 1332-58-7	TWA: 2 mg/m³ particulate matter containing no	TWA: 10 mg/m³ total d TWA: 5 mg/m³ respiral	le TWA: 5 mg/m³ respirable	TWA: 2 mg/m ³
	asbestos and <1% crystalline silica, respirable particulate matter	dust	fraction	
Limestone	No data available	TWA: 10 mg/m ³ total d	ıst TWA: 15 mg/m³ total dust	-
1317-65-3		TWA: 5 mg/m ³ respiral	le TWA: 5 mg/m³ respirable	
		dust	fraction	
Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m3 respira	le TWA: 50 μg/m³ TWA: 50	TWA: 0.025 mg/m ³
14808-60-7	respirable particulate matter	dust	μg/m³ excludes	
		TWA: 0.05 mg/m ³	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m ³	
			TWA respirable fraction	

Chemical name	Argentina	Brazil	Chile	Venezuela
Kaolin	TWA: 2 mg/m ³	-	TWA: 13 mg/m ³	TWA: 2 mg/m ³
1332-58-7			TWA: 4.5 mg/m ³	
Limestone	TWA: 10 mg/m ³	-	TWA: 7 mg/m ³	-
1317-65-3				
Quartz	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³
14808-60-7				

8.2. Exposure controls

STIX 4300Revision date09-Dec-2019Revision Number1Supersedes Date:09-Dec-2019

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Respiratory protection

Eye/face protection Tight sealing safety goggles.

Skin and body protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing

is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical stateLiquidAppearancePaste

ColorNo information availableOdorNo information availableOdor thresholdNo information available

Property Values Remarks • Method

pH 11.0 - 11.4

Melting point / freezing point

Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

11.0 - 11.4

No data available
No data available
No information available
Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosity No information available

Explosive properties No information available Oxidizing properties No information available

9.2. Other information

Softening Point
Molecular weight
Solvent content (%)
No information available
No information available

 Solid content (%)
 52-54

 Density
 1.34 g/cm³

STIX 4300Revision date09-Dec-2019Revision Number1Supersedes Date:09-Dec-2019

VOC Content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			
Limestone	>5000 mg/kg (Rattus)	-	-
1317-65-3			
Tetrapotassium pyrophosphate	-	> 4640 mg/kg (Oryctolagus	-
7320-34-5		cuniculus)	
Quartz	>2000 mg/kg (Rattus)	=	-
14808-60-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms
Skin corrosion/irritation
Serious eye damage/eye irritation
Irritation
Corrosivity
Sensitization
No information available.

STIX 4300 Revision date 09-Dec-2019
Revision Number 1 Supersedes Date: 09-Dec-2019

Germ cell mutagenicity No information available. Reproductive toxicity No information available. **Developmental toxicity** No information available. No information available. **Teratogenicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. **Target organ effects Aspiration hazard** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be

available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Kaolin	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l		EC 50 (48h) > 1000 mg/l
1332-58-7				(Daphnia magna)
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus	(Oncorhynchus mykiss)		Daphnia Magna
	subspicatus)			
Tetrapotassium		LC50: >100mg/L (96h,		EC50: >100mg/L (48h,
pyrophosphate		Oncorhynchus mykiss)		Dappnia magna)
7320-34-5				

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

STIX 4300Revision date09-Dec-2019Revision Number1Supersedes Date:09-Dec-2019

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

Note: Keep from freezing

DOT Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Revision Number 1 Supersedes Date: 09-Dec-2019

Revision date 09-Dec-2019

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

STIX 4300

Key Literature References and Sources for Data

No information available

Revision date 12-Dec-2019

Revision note Not applicable.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet