

Stix 5500 Revision Number 1 Revision Date 31-Jul-2019 Supersedes Date: 31-Jul-2019

I. I	dentification

1.1. Product Identifier

Product Name Stix 5500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives.Uses advised againstNo information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton Georgia 30721 USA Phone: +1 (800) 367-4583 (Domestic Toll Free) Phone: +1 (706) 272-5800 Local Fax: +1 (706) 272-5801

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: Chemtrec-800-424-9300 Technical Rapid Response-706-508-5907, Mon-Fri 8:00am-5:00pm

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

Г

EMERGENCY OVERVIEW

Not a dangerous substance or r	nixture according to OSHA 29 CFR 1910.1200.	
Appearance Paste	Physical State Liquid	Odor Characteristic
Precautionary Statements - P Not applicable	revention	
Precautionary Statements - R Not applicable	esponse	
Precautionary Statements - So Not applicable	orage	
Precautionary Statements - D	isposal	

Stix 5500 Revision Number 1

Not applicable

Hazards not otherwise classified (HNOC) Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Feldspar	68476-25-5	10 - 30
Quartz	14808-60-7	1 - 5

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.
Self-protection of the first aider	Use personal protective equipment as required.
4.2. Most important symptoms and	l effects, both acute and delayed
Symptoms	No information available.
4.3. Indication of any immediate m	edical attention and special treatment needed
Note to physicians	Treat symptomatically.
4.4. Reference to Other Sections	
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION
Section 5: FIRE-FIGHTING M	AFASURES

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Stix 5500 Revision Number 1

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion	Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.
Products	

Explosion Data

Sensitivity to mechanical impac	t
Sensitivity to static discharge	

None. None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Avoid contact with eyes and skin.
6.2. Environmental precautions	
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	ainment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
6.4. Reference to other sections	
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not reuse container.

Stix 5500 Revision Number 1

7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.
Incompatible materials	No information available.
7.3. Specific end use(s)	
Specific Use(s) Adhesives.	
Other information	No information available.
7.4. References to Other Sections	
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Feldspar	2 mg/m ³ (Respirable	-	15 mg/m ³ (Total Dust)	-
68476-25-5	fraction)		5 mg/m ³ (Respirable dust	
			fraction)	
Quartz	TWA: 0.025 mg/m ³	IDLH: 50 mg/m ³ respirable	TWA: 50 µg/m³ TWA: 50	TWA: 0.1 mg/m ³
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	
		TWA: 0.05 mg/m ³	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m ³	
			TWA respirable fraction	

Chemical name	Argentina	Brazil	Chile	Venezuela
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

8.2. Exposure controls

Engineering controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE] Eye/face protection

Skin and body protection

Respiratory protection

Tight sealing safety goggles.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Stix 5500	
Revision Number	1

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical a	and chamical properties	
Physical state	Liquid	-
Appearance	Paste	
Color	White	
Odor	Characteristic	
Odor Threshold	No information available	
Property_	Values	
pH	7.5 - 8.5	
Melting point / freezing point	No data available	
Boiling point / boiling range	100 °C / 212 °F	
Flash Point	> 100 °C / > 212 °	F
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive	No information available	
limits		
Lower flammability or explosive	No information available	
limits		
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	
Water Solubility	Insoluble in water	
Solubility in Other Solvents		
Partition coefficient	No information available	•
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
exicizing properties		
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Density	1.225 g/cm ³	
VOC (volatile organic compound)	-	No informati

Remarks • Method

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

Stix 5500 Revision Number 1

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Quartz 14808-60-7	>2000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Skin corrosion/irritation Serious eye damage/eye irritation Irritation Corrosivity Sensitization Germ cell mutagenicity Reproductive toxicity Developmental Toxicity Teratogenicity STOT - single exposure STOT - repeated exposure Chronic Toxicity Target Organ Effects Aspiration hazard Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be
Carcinogenicity	

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х

Stix 5500 Revision Number 1

14808-60-7

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Contaminated packaging	Dispose of in accordance with federal, state and local regulations	
Disposal of Wastes	It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations	

Section 14: TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

Section 15: REGULATORY INFORMATION Global Inventories

Listed

Stix 5500 **Revision Number** 1

Revision Date 31-Jul-2019 Supersedes Date: 31-Jul-2019

DSL

Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
Feldspar	68476-25-5

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data

No information available

Revision Date	31-Jul-2019
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or guality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet