XLBrands[®]

SAFETY DATA SHEET

STIX IRON Revision Number 2.1 Revision Date: 02-Feb-2023 Supersedes Date: 09-Jan-2020

1. Identification

1.1. Product Identifier

Product Name STIX IRON

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useAdhesives.Uses advised againstNo information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton GA 30721 USA Phone: +1 (800) 367-4583 (Domestic Toll Free) Phone: +1 (706) 272-5800 (Local) Fax: +1 (706) 272-5801

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: Chemtrec: 1-800-424-9300 Rapid Technical Response 1-706-508-5907 Mon-Fri, 8am-5pm est

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW				
Not a dangero	us substance or mixture ac	cording to OSHA 29 CFR 1910.1200.		
Appearance	Paste	Physical State Liquid	Odor	Characteristic
Precautionary Not applicable	y Statements - Prevention			
Precautionary Not applicable	y Statements - Response			
Precautionary Not applicable	y Statements - Storage			
Precautionary	y Statements - Disposal			

STIX IRON Revision Number 2.1

Not applicable

Hazards not otherwise classified (HNOC) Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	30 - 60

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. If eye irritation persists: Get medical advice/attention.			
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. In the case of skin irritation or allergic reactions see a physician.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.			
Ingestion	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.			
Self-protection of the first aider Use personal protective equipment as required.				
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
4.3. Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			
4.4. Reference to Other Sections				
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION			

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local

STIX IRON Revision Number 2.1

circumstances and the surrounding environment.

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion productsCarbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological Information.
6.3. Methods and material for conta	inment and cleaning up
Methods for containment	Stop leak if you can do it without risk.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material.
6.4. Reference to other sections	
Reference to other sections	Section 7: HANDLING AND STORAGE

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	Use personal protective equipment as required. Handle in accordance with good industrial
	hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash hands
	thoroughly after handling. Do not reuse container.

Section 13: DISPOSAL CONSIDERATIONS

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

Incompatible materials	No information available.
7.3. Specific end use(s)	
Specific Use(s) Adhesives.	
Other information	No information available.
7.4. References to Other Sections	
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

.....

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical name	ACGIH TLV	NIOSH IDI	LH	OSHA PEL		Mexico
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 10 mg/m ³	total dust	TWA: 15 mg/m ³ tota	al dust	TWA: 2 mg/m ³
1332-58-7	matter containing no	TWA: 5 mg/m ³	respirable	TWA: 5 mg/m ³ resp	oirable	
	asbestos and <1%	dust		fraction		
	crystalline silica, respirable					
	particulate matter					

Chemical name	Argentina	Brazil	Chile	Venezuela
Kaolin	TWA: 2 mg/m ³	-	TWA: 13 mg/m ³	TWA: 2 mg/m ³
1332-58-7	_		TWA: 4.5 mg/m ³	-

8.2. Exposure controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined **Engineering controls** areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE	1
Eye/face protection	Wear safety glasses with side shields (or goggles). Avoid contact with eyes.
Skin and body protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General hygiene considerations	Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Paste

STIX IRON Revision Number 2.1

Color

Revision Date: 02-Feb-2023 Supersedes Date: 09-Jan-2020

	Deige
Odor	Characteristic
Odor threshold	No information available
Property	Values
рН	8.0 - 9.0
Melting point / freezing point	No data available
Boiling point / boiling range	100 °C / 212 °F
Flash point	> 100 °C / > 212 °F
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability or explosive	No information available
limits	
Lower flammability or explosive	No information available
limits	
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	Insoluble
Solubility in Other Solvents	
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
· · · · · · · · · · · · · · · · · · ·	
Dynamic viscosity	No information available
Explosive properties	No information available
Oxidizing properties	No information available
••••	
9.2. Other information	
Softening Point	No information available
Molecular weight	No information available
Solvent content (%)	No information available
Solid content (%)	No information available

Beige

Remarks • Method

No information available

Section 10: STABILITY AND REACTIVITY

1.105 g/cm3

10.1. Reactivity

VOC Content (%)

Density

None under normal use conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms Skin corrosion/irritation Serious eye damage/eye irritation Irritation Corrosivity Sensitization Germ cell mutagenicity Reproductive toxicity Developmental toxicity Teratogenicity STOT - single exposure STOT - repeated exposure STOT - repeated exposure Chronic Toxicity Target organ effects Aspiration hazard Carcinogenicity	No information available. No information available.
Irritation Corrosivity Sensitization Germ cell mutagenicity Reproductive toxicity Developmental toxicity Teratogenicity STOT - single exposure STOT - repeated exposure Chronic Toxicity Target organ effects Aspiration hazard	No information available. No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l		EC 50 (48h) > 1000 mg/l (Daphnia magna)

12.2. Persistence and degradability

STIX IRON Revision Number 2.1

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes	It is the responsibility of the waste generator to determine the toxicity and physical
	properties of the material generated to determine the proper waste identification and
	disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

Section 15: REGULATORY INFORMATION Global Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

STIX IRON Revision Number 2.1

Revision Date: 02-Feb-2023 Supersedes Date: 09-Jan-2020

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data

No information available

Revision date	02-Feb-2023
Revision note	SDS sections updated, 1.
Training Advice	No information available
Further information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet