

STIX PLATINUM
Revision Number 2

Revision date 09-Jan-2020 Supersedes Date: 19-Jul-2019

1. Identification

1.1. Product Identifier

Product Name STIX PLATINUM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton GA 30721 USA

Phone: +1 (800) 367-4583 (Domestic Toll Free)

Phone: +1 (706) 272-5800 (Local)

Fax: +1 (706) 272-5801

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: Chemtrec: 1-800-424-9300

Rapid Technical Response: 1-706-508-5907 Mon-Fri, 8am-5pm est

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

2.2. Label Elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Liquid Odor No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal

Not applicable

STIX PLATINUMRevision Number 2
Revision Number 2
Supersedes Date: 19-Jul-2019

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	10 - 30
Feldspar	68476-25-5	10 - 30
Quartz	14808-60-7	1 - 5

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. If eye irritation persists: Get medical advice/attention.

Skin contact Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

Ingestion Do not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Revision Number 2 Supersedes Date: 19-Jul-2019

Revision date 09-Jan-2020

Unsuitable extinguishing media

None known.

STIX PLATINUM

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Explosion Data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

5.3. Advice for firefighters

Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Keep people away from and upwind of spill/leak. See Section 12 for additional Ecological

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk.

Methods for cleaning up

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wash hands

thoroughly after handling. Do not reuse container.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing. Keep containers tightly closed in a cool, well-ventilated place.

Incompatible materialsNo information available.

STIX PLATINUM Revision date 09-Jan-2020 **Revision Number** 2 Supersedes Date: 19-Jul-2019

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to

occur from exposure to this product.

Chemical name ACGIH TLV NIOSH IDLH OSHA PEL Mexico TWA: 15 mg/m³ total dust TWA: 2 mg/m³ TWA: 2 mg/m³ particulate TWA: 10 mg/m³ total dust Kaolin 1332-58-7 matter containing no TWA: 5 mg/m³ TWA: 5 mg/m³ respirable respirable asbestos and <1% dust fraction crystalline silica, respirable particulate matter Feldspar 2 mg/m3 (Respirable 68476-25-5 fraction) TWA: 0.025 mg/m³ TWA: 50 µg/m³ TWA: 50 TWA: 0.025 mg/m³ Quartz IDLH: 50 mg/m3 respirable 14808-60-7 respirable particulate matter µg/m³ excludes dust TWA: 0.05 mg/m³ construction work, respirable dust agricultural operations, and exposures that result from the processing of sorptive clays (250)/(%SiO2 + 5) mppcf TWA respirable fraction (10)/(%SiO2 + 2) mg/m³ TWA respirable fraction

Chemical name	Argentina	Brazil	Chile	Venezuela
Kaolin	TWA: 2 mg/m ³	-	TWA: 13 mg/m ³	TWA: 2 mg/m ³
1332-58-7			TWA: 4.5 mg/m ³	
Quartz 14808-60-7	TWA: 0.05 mg/m ³	-	TWA: 0.08 mg/m ³	TWA: 0.025 mg/m ³

8.2. Exposure controls

Engineering controls Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Skin and body protection

Respiratory protection

Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye/face protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

STIX PLATINUM Revision date 09-Jan-2020 **Revision Number** 2 Supersedes Date: 19-Jul-2019

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Paste Color light brown

No information available Odor **Odor threshold** No information available

Property Values Remarks • Method

No information available рH No data available Melting point / freezing point Boiling point / boiling range 100 °C / 212 °F > 100 °C / > 212 °F Flash point **Evaporation rate** No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressure No information available Vapor density No information available Relative density No information available Insoluble

Water solubility

Solubility in Other Solvents

Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available

No information available **Dynamic viscosity**

No information available **Explosive properties Oxidizing properties** No information available

9.2. Other information

Softening Point No information available Molecular weight No information available Solvent content (%) No information available Solid content (%) No information available

Density 1.100 g/cm³

VOC Content (%) No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

STIX PLATINUMRevision date09-Jan-2020Revision Number2Supersedes Date:19-Jul-2019

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-58-7			
Quartz	>2000 mg/kg (Rattus)	-	-
14808-60-7			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms No information available. Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available. Irritation No information available. No information available. Corrosivity Sensitization No information available. Germ cell mutagenicity No information available. No information available. Reproductive toxicity **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure No information available. No information available. STOT - repeated exposure No information available. **Chronic Toxicity Target organ effects** No information available. **Aspiration hazard** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7		·		

STIX PLATINUMRevision date09-Jan-2020Revision Number2Supersedes Date:19-Jul-2019

A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)
Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l		EC 50 (48h) > 1000 mg/l (Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

DOTNot regulatedIATANot regulatedIMDGNot regulated

Section 15: REGULATORY INFORMATION

Global Inventories

STIX PLATINUMRevision date09-Jan-2020Revision Number2Supersedes Date:19-Jul-2019

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.
Feldspar	68476-25-5

SARA 311/312 Hazard Categories

Classification is shown in section 2 of this SDS

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Revision date 09-Jan-2020

Revision note SDS sections updated, 2, 3, 11.

Training Advice No information available

Further information No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

STIX PLATINUM Revision Number 2

vision Number 2 Supersedes Date: 19-Jul-2019

Revision date 09-Jan-2020

End of Safety Data Sheet