

In accordance with OSHA 29 CFR 1910.1200

GOLDSTIX

Revision Date: 07-Jun-2024 **Revision Number** 2.01 Supersedes Date: 02-Oct-2019

1. Identification

1.1. Product identifier

Product Name GOLDSTIX

Other means of identification

Other information 30855606, 30855605

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives

Restrictions on use No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 198 Nexus Drive Dalton, GA 30721 USA

Phone: +1(800) 367-4583 (Domestic Toll Free)

Phone: +1 (706) 272-5800 (Local)

E-mail msds@bostik.com

1.4. Emergency telephone number

Emergency Telephone CHEMTREC (Chemical Transportation Emergency Center)

Chemtrec: 1-800-424-9300 (US), 1-703-527-3887 (Outside U.S.)

Use reference CCN#833717.

Rocky Mountain Poison Center: 1-866-767-5089

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Hazards not otherwise classified (HNOC)

Not applicable

2.2. Label elements

EMERGENCY OVERVIEW

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical state Liquid **Odor** Characteristic

2.3. Other Information

US - EN Page 1/10

GOLDSTIX Revision Date: 07-Jun-2024 **Revision Number** 2.01 **Revision Date:** 02-Oct-2019

Causes mild skin irritation.

3. Composition/information on ingredients

3.1. Substances

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Kaolin	1332-58-7	30 - 60
Ethanolamine	141-43-5	0.1 - <1

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. First-aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected

area. If eye irritation persists: Get medical advice/attention.

Skin contact Wash with plenty of water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious

person. If swallowed, call a poison control center or physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

US - EN Page 2/10

GOLDSTIX

Revision Date: 07-Jun-2024 **Revision Number** 2.01 Supersedes Date: 02-Oct-2019

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products

Silicon dioxide.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge

None.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Avoid

breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash

thoroughly after handling.

6.2. Environmental precautions

Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological **Environmental precautions**

Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Use personal protective equipment as required. Soak up with inert absorbent material (e.g. Methods for cleaning up

sand, silica gel, acid binder, universal binder, sawdust). Take up mechanically, placing in

appropriate containers for disposal. Clean contaminated surface thoroughly.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. Handling and storage

7.1. Precautions for safe handling

Use personal protective equipment as required. Handle in accordance with good industrial Advice on safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash

thoroughly after handling. Take off contaminated clothing and wash before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

Recommended storage temperature Keep at temperatures between 41 and 95 °F / 5 and 35 °C. Do not freeze.

US - EN Page 3/10

GOLDSTIXRevision Date:07-Jun-2024Revision Number2.01Supersedes Date:02-Oct-2019

7.3 References to other sections

Reference to other sections Section 10: STABILITY AND REACTIVITY

See Section 13: DISPOSAL CONSIDERATIONS

8. Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Ethanolamine	TWA: 3 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	STEL: 6 ppm	TWA: 6 mg/m ³	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m ³
		(vacated) TWA: 8 mg/m ³	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m ³
		(vacated) STEL: 15 mg/m ³	-

Chemical name	Argentina	Brazil	S.D. 594/1999	Colombia
Kaolin	TWA: 2 mg/m ³	TWA: 2 mg/m ³	LPP: 13 mg/m ³	TWA: 2mg/m ³
1332-58-7	_	-	LPP: 4.5 mg/m ³	-
Ethanolamine	TWA: 3 ppm	TWA: 3 ppm	-	STEL: 6ppm
141-43-5	STEL: 6 ppm	STEL: 6 ppm		TWA: 3ppm

Chemical name	Costa Rica	Peru	Uruguay	Venezuela
Kaolin 1332-58-7	TWA: 2mg/m ³	TWA: 2mg/m³	2 mg/m³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	TWA: 2 mg/m ³
Ethanolamine 141-43-5	TWA: 3ppm STEL: 6ppm	STEL: 6ppm STEL: 15mg/m³ TWA: 3ppm TWA: 7.5mg/m³	6 ppm STEL 3 ppm TWA	Skin STEL: 6 ppm TWA: 3 ppm

8.2. Exposure controls

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

US - EN Page 4/10

GOLDSTIX Revision Date: 07-Jun-2024 **Revision Number** 2.01 Supersedes Date: 02-Oct-2019

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Avoid contact with eyes. Eye/face protection

Hand protection Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers.

Skin and body protection Wear suitable protective clothing.

Respiratory protection Use appropriate respiratory protection.

General hygiene considerations Wear suitable gloves and eye/face protection. Handle in accordance with good industrial

> hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Take off contaminated clothing and wash before reuse. Regular

cleaning of equipment, work area and clothing is recommended.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid **Appearance** Paste Color light brown Odor Characteristic

Odor threshold No information available

Property Values Remarks • Method

8.0 - 9.0 pН

pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known

Initial boiling point and boiling range 100 °C / 212 °F

> 100 °C / 212 °F Flash point

None known **Evaporation rate** No data available

Flammability No data available

Flammability Limit in Air None known

Upper flammability or explosive No data available

No data available Lower flammability or explosive

limits Vapor pressure No data available

None known No data available Relative vapor density None known No data available None known Relative density

Water solubility Insoluble

No data available Solubility(ies) None known No data available **Partition coefficient** None known No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

9.2. Other information

limits

No information available **Explosive properties** No information available Oxidizing properties

US - EN Page 5/10

GOLDSTIXRevision Date: 07-Jun-2024Revision Number 2.01Supersedes Date: 02-Oct-2019

Solvent content (%)No information availableSolid content (%)No information availableSoftening pointNo information availableMolecular weightNo information available

VOC content 14.4 g/L No information available

Liquid Density 1.140 g/cm³

Bulk density No information available

10. Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Do not freeze.

10.5. Incompatible materials

Incompatible materialsNone known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon monoxide Carbon dioxide (CO2) Hydrocarbons

11. Toxicological information

11.1. Information on toxicological effects

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Specific test data for the substance or mixture is not available. Causes mild skin irritation.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >5000 mg/kg

US - EN Page 6/10

GOLDSTIXRevision Date:07-Jun-2024Revision Number2.01Supersedes Date:02-Oct-2019

ATEmix (dermal) >5000 mg/kg
ATEmix (inhalation-gas) >20000 ppm
ATEmix (inhalation-dust/mist) >5 mg/l
ATEmix (inhalation-vapor) >20 mg/l

Component Information

Chemical	name	Oral LD50	Dermal LD50	Inhalation LC50
Kaoli	n	LD50 (Rattus) > 2000 mg/kg	> 5000 mg/kg (Rattus)	1.5 mg/l 4hr
1332-5	58-7			-
Ethanola	mine	=1720 mg/kg (Rattus)	= 1 mL/kg (Oryctolagus	> 1.3 mg/L (Rat) 6 h
141-4	3-5		cuniculus) = 1000 mg/kg	
			(Orvctolagus cuniculus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Developmental toxicity No information available.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Target organ effects Respiratory system, Gastrointestinal tract (GI).

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects

No information available.

Interactive effects

No information available.

12. Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	

US - EN Page 7/10

GOLDSTIX Revision Date: 07-Jun-2024
Revision Number 2.01 Supersedes Date: 02-Oct-2019

Kaolin 1332-58-7	IC 50 (72h) > 1000 mg/l	LC 50 (96h) > 1000 mg/l	-	EC 50 (48h) > 1000 mg/l (Daphnia magna)
Ethanolamine	EC50: =15mg/L (72h,	LC50: 300 - 1000mg/L	EC50 = 110 mg/L 17 h	EC50: =65mg/L (48h,
141-43-5	Desmodesmus subspicatus)		EC50 = 12200 mg/L 2 h EC50 = 13.7 mg/L 30 min	Daphnia magna)
		196mg/L (96h, Oncorhynchus mykiss)		
		LC50: =227mg/L (96h,		
		Pimephales promelas) LC50: =3684mg/L (96h,		
		Brachydanio rerio) LC50: >200mg/L (96h,		
		Oncorhynchus mykiss)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethanolamine	-2.3
141-43-5	

12.4. Mobility in soil

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

13. Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

14. Transport information

Note: Keep from freezing.

DOT Not regulated

US - EN Page 8/10

GOLDSTIXRevision Date:07-Jun-2024Revision Number2.01Supersedes Date:02-Oct-2019

IATA Not regulated

IMDG Not regulated

15. Regulatory information

International Inventories

TSCA	Listed
DSL	Not Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation. This document is based on the information given to us by our own suppliers at the date of this document.

SVHC: Substances of Very High Concern for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

Revision date 07-Jun-2024

Revision Note SDS sections updated. 1. 3. 9.

US - EN Page 9/10

GOLDSTIX RevisionRevision Date: 07-Jun-2024Number2.01Supersedes Date: 02-Oct-2019

Disclaimer

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Bostik Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at

https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-mana gement/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.

End of Safety Data Sheet

US - EN Page 10/10